

# **Electronic Health Solutions**

# REQUEST FOR PROPOSAL

Supply, Installation, Configuration, Testing, and Handover of SAS SSD Drives for Dell ME5024 Storage Systems.

RFP Reference Number: RFP-EHS-PROC-14-2025

Page 1 of 18









# **Table of Contents**

|     | LE OF CONTENTS   |    |
|-----|--|----|
| CON | NFIDENTIALITY STATEMENT                                | 4  |
| CON | MPANY ABSTRACT   | 5  |
| 1.  | EHS CONTACT INFORMATION                                |    |
| 2.  | GENERAL CONDITIONS                                     |    |
| 3.  | BIDDER QUALIFICATIONS                                  | 8  |
| 4.  | RFP GUIDELINES   | 9  |
| 5.  | RFP TERMS & CONDITIONS                                 | 11 |
| 6.  | RFP TERMS & CONDITIONS FINANCIAL COMPLIANCE SHEET      | 13 |
| 7.  | OBJECTIVES   | 13 |
| 8.  | SUBMITTALS   | 13 |
| 9.  | BIDDER QUALIFICATIONSSOLUTION TECHNICAL SPECIFICATIONS | 14 |
| 10. | SOLUTION TECHNICAL SPECIFICATIONS                      | 15 |
| 11. | SCOPE OF WORK  | 15 |
| 12. | TECHNICAL TERMS AND CONDITIONS                         | 15 |
| 13. | WARRANTY AND SUPPORT                                   | 15 |
| 14. | ANNEX (1) HAKEEM SITES SSD                             | 16 |
|     | Porpe  |    |









### Transmittal Letter

Date: 22-JUN-2025

#### Dear Sir / Madam,

Electronic Health Solutions "EHS" is in the process of tendering "RFP-EHS-PROC-14-2025" for Supply, Installation, Configuration, Testing and Implementation of Supply, Installation, Configuration, Testing, and Handover of SAS SSD Drives for Dell ME5024 Storage Systems.

Interested companies are encouraged to submit their technical and financial proposals as per the details provided in this RFP. EHS appreciates your timely and accurate response, meanwhile, shall you have any questions please do not hesitate to contact us.

#### **Procurement Department**

Tel: +962 6 580 0461 | Ext. 3050, 3071, 3074 & 3067

Email: procurement@ehs.com.jo

Yours sincerely,
Electronic Health Solution











### Confidentiality Statement

This Request for Proposal (RFP) contains information proprietary to Electronic Health Solutions, hereafter referred to as "EHS". Each recipient is entrusted to maintain its confidentiality. The information contained in this RFP is provided for the sole purpose of permitting the Bidder to respond to the RFP. This information may not be reproduced in whole or in part without the expressed written permission of EHS.

The recipient shall hereby agree to keep all the information in this RFP confidential and shall not, without prior written permission of EHS, disclose this information to any person other than the employees, agents, subcontractors, and advisors who are required in the course of their duties to execute proposal preparation activities. The recipient shall undertake the responsibility that all such persons are informed of the confidential nature of the information.

No recipient of this RFP shall, without the prior consent of EHS, make any public statements to any third parties in relation to this RFP or the subsequent short-listing of any prospective implementer or the subsequent awarding of any order. Unauthorized release of information or public statements will result in immediate disqualification.

Information provided by each Bidder will be held in confidence and will be used for the sole purpose of evaluating a potential business relationship with the respective Bidder's company.

There will be no obligation to maintain the confidentiality of any information that was known to EHS, prior to the receipt of a proposal from the Bidder, or due to becoming publicly known through no fault of EHS, or if received without obligation of confidentiality from a third party owing no obligation of confidentiality to the Bidders.









### Company Abstract

#### **Company Profile**

Electronic Health Solutions (EHS) was founded in 2009 as a non-profit company. EHS is owned by the main stakeholders in health and technology sectors in the Kingdom including Ministry of Health (MoH), Ministry of Information and Communication Technology (MoICT), Royal Medical Services (RMS), King Hussein Cancer Center, King Hussein Institute for Cancer and Biotechnology, Royal Health Awareness Society and Private Hospitals Association.

Hakeem is Jordan's National Electronic Health Records (EHR) initiative by which the healthcare sector will be computerized. The program was incepted in October 2009.

The company's mandate is to implement Hakeem in public hospitals, Royal Medical Services sites, Universities Hospitals and King Hussein Cancer Center, in addition to healthcare centers including comprehensive clinics and primary clinics.

#### Vision, Mission, Goals, and Objectives

#### Vision

Transform and sustain a continuously improving healthcare system in Jordan by leveraging information technology.

#### Mission

Provide a secure and accessible platform that enables the storing and sharing of electronic patient health records at all healthcare facilities enrolled in Hakeem.

#### **Objectives**

EHS main objectives are the following:

- 1- Improve Healthcare
- 2- Reduce the Cost of healthcare services.
- 3- Provide Data for Research and Decision Making

#### **Benefits**

- Raising healthcare quality and outcomes by enhancing the accuracy of diagnoses, medication administration, and patient information management;
- Boosting health facilities' efficiency and workflow by saving time and reducing errors in information retrieval;
- Supporting research, scientific studies and, decision-making by supplying the necessary patient data, history and statistics;
- Reducing operating costs by optimizing resource utilization and, preventing lab test repetition.









# 1. EHS Contact Information

Any questions regarding this RFP shall be directed to the following email address in writing:

| Name:            | Procurement Department  |
|------------------|---|
| Company:         | Electronic Health Solutions   |
| Address:         | King Hussein Business Park, King Abdullah the second street. 4408 Amman 11952 |
| Telephone / Fax: | Telephone +962 (6) 5800461 EXT3050, 3071Fax +962 (6) 5800466                  |
| Email:           | Procurement@ehs.com.jo  |

The bidder should receive a response from the procurement department, if not please call the following number +962 79 668 1595 Or Tel: +962 6 5800461 | Ext: 3050, 3071.

### 2. General Conditions

Upon participation, the bidder agrees to the following:

- 1. All costs incurred by Bidder in the preparation of this proposal shall be borne by the Bidder.
- 2. "EHS" will assume that all statements in writing, made by persons submitting Proposals are true, accurate, complete and, not misleading.
- 3. "EHS" reserves the right to cancel, at any time, this RFP partially or in its entirety. No legal liability on the part of "EHS" for payment of any kind shall arise and in no event will a cause of action lies with any bidder for the recovery of any cost incurred in connection with preparing or submitting a proposal, in response hereto all efforts initiated or undertaken by the bidder shall be done considering and accepting this fact.
- 4. Bidder's proposals shall be based on full compliance with the terms, conditions and, requirements of this RFP and its future clarifications and/or amendments.
- 5. "EHS" shall not be under any obligation to return or save either the original or any copies of any Bidder's Proposals (technical and/or financial), and all documents submitted to "EHS", whether originals or copies, shall be kept or disposed of by "EHS".
- This Request for Proposal doesn't constitute an offer. "EHS" shall not be under obligation to enter into any agreement with any Bidder in connection with this RFP and responses received.
- The Bidder's proposals (technical and financial) shall comply with the laws and regulations of the Hashemite Kingdome of Jordan.
- 8. The Bidder's proposals (technical and financial) shall be compatible with international standards and best practices.
- As a part of the RFP response, the Bidder is requested to fill out the compliance sheet included in this RFP.
- 10. The bidder must include in his technical proposal a detailed Bill of Quantity "BOQ" for all proposed and priced items and services. Accordingly, this should be reflected and included in the financial offer with itemized quoted prices for all proposed items.
- 11. The bidder must commit to providing EHS with the same prices and terms for a period of (1) year starting from the Awarding Letter date for the purpose of Variation Orders
- 12. The quantities requested in this RFP are subject to increase, decrease or, cancellation as per the actual requirements in the awarding date. In case the quantities decrease the vendor is responsible to install the available materials from the EHS warehouse.

13. في حال أن تعذر على "المناقص الفائز بالعطاء" تنفيذ التزاماته التعاقدية و/أو أي جزء منها، بحيث يكون قد تأخر في توريد المواد و/أو الخدمات المحددة لمدة (45) يوم من التاريخ الواجب على " المناقص الفائز بالعطاء " خلاله تنفيذ التزاماته، فسيكون في هذه الحالة من حق "شركة الحوسبة الصحية" إلغاء قرار الإحالة والعلاقة التعاقدية التي تجمعهم مباشرة دون الحاجة الى اشعار و/أو انذار و/أو استصدار حكم قضائي. كما يكون من حق " شركة الحوسبة الصحية " في هذه الحالة شراء ما كان متفق عليه من مورد آخر براه مناسبا، على أن يتحمل " المناقص الفائز بالعطاء " كافة النفقات التي قد تكبيدها " شركة الحوسبة الصحية " جرّاء ذلك الى جانب تعويض " شركة الحوسبة الصحية " عما لحقه من أضرار إثر تعذر "المناقص الفائز بالعطاء" عن تنفيذ إلتزاماته.

#### 3. Bidder Qualifications

- Bidder should be a Company registered under the Jordanian Ministry of Industry and Trade for more than three years or represented by a company abiding by the aforementioned condition; otherwise, any international or regional bidder must present the formal documents which prove the financial capacity of the company in addition to its commercial registration documents at the country of origin.
- 2. The bidder must submit Up-To-Date official documents of registration issued from the Companies Control Department at the Jordanian Ministry of Industry and Trade.
- Bidder / Vendor shall have at least three enterprise scale live installations for similar solution. The contacts information for such projects must be provided within the bidder's technical proposal in order to be contacted by EHS as part of the technical evaluation.
- 4. The bidder must be an authorized Partner of the mother company he represents in this bid; the highest three partnership levels are only accepted. The bidder must submit an up-to-date valid official letter/certificate from the mother company as part of the bidder's qualification documents.
- 5. The bidder shall have at least two certified engineers according to the manufacturer's recommendations on the proposed solution; at least one of them shall be assigned to the project with EHS.
- 6. Bidder should have at least three references of similar projects preferably in the health care sector and to be accepted by EHS.
- 7. The Bidder shall have specialized and certified engineers with relevant technical certification for at least two engineers.
- 8. All proposed and supplied equipment\solutions\items\services must be original, brand new (not refurbished) and, licensed by the manufacture (mother company) to be supplied and installed for this project at EHS with manufacture valid warranty and support duration for not less than (7) years from the date of delivery. This implies that supplied products must not be obsolete, phased out of production, out of sales, and support.
- 9. The winning bidder is obliged to determine the rate of support and maintenance and technical support including spare parts and manpower for the years following the free warranty maintenance and support duration (6th and 7<sup>th</sup> years). This has to be specified clearly in the financial offer for the supplied devices\solutions as per this RFP and will be part of the financial evaluation of the bid.

تلتزم الشركة المحال عليها بتحديد نسبة الصيانة و الدعم الفني في العرض المالي للأجهزة المحال عليها للسنوات التي تلي فترة الصيانة المجانية شاملة قطع الغيار و الأيدي العاملة علماً بأن هذا البند سيكون جزء من التقييم المالي للعرض المقدم

- 10. The bidder shall classify as a tier one partner; the bidder shall provide the required manufacturer's certificates or letters for his qualifications.
- 11. All HW components should be new, Original from the Vendor (all components should have original part number from the vendor), and vendor factory integrated.
- 12. The bidder shall provide the yearly cost of the vendor's support service for additional two years.
- 13. The bidder shall provide a local stock for spare parts to meet the SLA requirements.

#### 4. RFP Guidelines

#### a. RFP Issuance & Submission

| Event                             | Date  |
|-----------------------------------|---|
| RFP distribution to vendors       | 22-JUN-2025   |
| 2. Questionnaire Session          | Not applicable. All inquiries must be submitted in writing as per Section 1. Contact Information. |
| 3. Proposal due date Closure Date | 7-JUL-2025  |

### b. Queries and Responses

All inquiries during the questions and answers session (Bidder Conference) if conducted must be documented., Verbal clarifications, inquiries or communication are not permitted, and only written communication is accepted.

### c. RFP Acknowledgement

- 1. Award of the contract resulting from this RFP will be based upon the most responsive vendor whose offer will be the most advantageous to "EHS" in terms of cost, functionality, and other factors as specified elsewhere in this RFP.
- 2. Vendor has a period of (5) days to acknowledge and accept the awarding letter with its terms and conditions. Delay of acceptance will yield into consideration of rejection.
- 3. EHS" reserves the right to:
  - a) Accept other than the lowest-priced offer.
  - b) Award a contract on the basis of initial offers received, without discussions or requests for best and final offers.
  - c) Award the RFP contract on a partial basis (i.e. not all requirements requested from a single vendor.)
  - d) Not declare the name of the winning bidder, and awarding details.

### d. Proposal Format Requirements

- 1. The financial and technical proposals must be submitted separately. Each proposal must be sent in a separate (PDF) electronic file (PDF). (If the proposal file document size is bigger than 9 Megabyte (MB), you may send the document through a secured file hosting service and an internet-based computer file transfer service company such as Dropbox, WeTransfer, etc.)
- 2. The proposals must be sent to the Procurement Department email namely; (Procurement@ehs.com.jo). A password divided into (3) portions and not to be less than (9) nine digits must be set on the financial offer.
- 3. The passwords must be sent through a text message (SMS) to relevant mobile numbers which will be cellular mobile numbers that will be provided to the bidders at a later stage.
- 4. Pricing must be per site with a breakdown itemized pricing for each item, component, product and services included in the submitted Financial Proposal.
- 5. The Financial Proposal must specify clearly the compliance with the (5) five years' warranty duration required in the Technical Specification section.

6. The bidder shall submit only one financial proposal file. The financial proposal must include all of the products or solution options proposed in the Technical Proposal. The financial proposal must be in a format that is easy to read and understand and in compliance and consistent with the pricing and terms and conditions mentioned in this RFP document. The financial proposal must be in English.

The financial proposal must be signed by an authorized representative of the bidder.

If the bidder submits more than one financial proposal file, or if the financial proposal does not include all of the products or solution options proposed in the Technical Proposal, the bidder's proposal may not be considered.

- 7. The bidder must submit a cover letter in a PDF format as a separate document from the Technical and the Financial Proposal. The cover letter must include the following information:
  - The tender reference number.
  - The name of the bidder.
  - The contact information for the bidder.
  - A list of the product(s) and\or solution(s) names that are being proposed, along with the corresponding product and/or solution code.
  - A listing of the proposed product(s)\ solution(s)\service(s) along with their relevant brief description.

The aforementioned information must be filled in the following "Table Template" and must be consistent and in a total match with the relative names and descriptions included in the financial and technical proposals.

The list of product and/or solution names must match those included in the Technical and Financial Proposal. If the bidder does not submit a cover letter, or if the list of product and/or solution names do not match those included in the Technical and Financial Proposal, the bidder's proposal may not be considered.

(ملخص للمنتجات والخدمات والحلول المعروضة) Table Template

The following table template can be used to list the product and\or solution names that are being proposed:

| Option     | Product\Solution\Services<br>Name | Product\Solution\Services Description |  |
|------------|-----------------------------------|---------------------------------------|--|
| Option (1) | Product 1                         |                                       |  |
| Option (2) | Solution 1                        |                                       |  |
| Option (3) | Solution 2 & Product 2            |                                       |  |

#### RFP Terms & Conditions

#### a. Evaluation Criteria

- "EHS" will evaluate each response. Responses will be evaluated on many criteria deemed to be in EHS's best interest, including but not limited to, technical offering, price, warranty, delivery duration, Bidder certification, accreditation, schedule, bidder's capabilities, compliance with bonding, and any other factors that "EHS" determine. The order of these factors does not denote relative importance.
- 2. "EHS" reserves the right to consider other relevant factors as it deems appropriate in order to obtain the best value.
- 3. This RFP does not commit "EHS" to select any firm, enter into any agreement, pay any costs incurred in preparing a response or procure or contract for any services or supplies. "EHS" reserves the right to request additional information from the bidders whose response meets "EHS" needs and business objectives without requesting such information from all respondents.

### b. Rejection of Proposals

"EHS" reserves the right to reject any or all offers and discontinue this RFP process without obligation or liability to any potential Vendor.

### c. Proposal Costs and Expenses

No legal liability on the part of "EHS" for payment of any kind shall arise and in no event will a cause of action lies with any bidder for the recovery of any cost incurred in connection with preparing or submitting a proposal. In response hereto all efforts initiated or undertaken by the bidder shall be done considering and accepting this fact.

### d. Bid, Performance, Advance payment, and Warranty Bonds

- 1. Unconditional Bid Bond valid for (3) <u>three</u> months with an amount of (JoD 4,500.00) Four Thousand Five Hundred Jordanian Dinar to be renewed automatically must be submitted by every participating bidder.
- 2. Advance payment LG, is to be submitted against any required advanced payment.
- 3. Unconditional Performance Bond for (10%) of the total amount of the awarded value shall be submitted by the winning bidder and within (5) working days from the date of the award. The Performance bond must remain valid for the total duration of the implementation of the project and until the delivered solution is finally received and accepted by EHS. This Performance Bond will be replaced by the Maintenance LG after items delivered installed and finally accepted duly. The Maintenance Bond will remain valid until the end of the warranty duration. In case the winning bidder fails to

submit the performance bond, EHS reserves the right to cancel the contract and liquidate the bid bond without reverting to the bidder.

#### e. Penalties

In the event, the bidder fails to deliver according to the agreed time (for either the initial agreed delivery date or any of the subsequent delivery dates). The Bidder must pay EHS a delay penalty of (1%) of the total contract amount for each calendar week of delay. The maximum penalty for delays shall not exceed (10%) of the total contract value. The payment or deduction of such penalty shall not relieve the winning bidder from its obligations to complete the services or from any other obligations and liabilities under this bid.

### f. Payment Terms

1- Payment terms:

20% Advance Payment against "Advance Payment LG" 20% upon items delivery 20% upon installation or implementation 40% on final EHS acceptance.

In case the winning bidder fails to comply with the "Advance Payment LG" term set for the first payment, hence, the winning bidders will be entitled to receive (40%) of the total contract value after the fulfillment of the delivery and initial receiving conditions "إستلام توريدي" set forth in this RFP.

2- Payment currency shall be in Jordanian Dinar (USD and Euro exchange rate will be calculated at the currencies exchange rate issued by Central Bank of Jordan at the payment date).

### g. Terms of Delivery

- The Suppliers/Bidders are required to specify in their offers the most efficient and feasible delivery, installation, and implementation duration of their proposed solution/goods.
- The duration must commence immediately after the purchase order date.
- Evaluation of the proposal will take into consideration the most efficient duration for the **delivery**, **installation**, **and implementation**.
- Final acceptance by EHS is mandatory, and any delay will incur penalties as specified in clause (5.e) of this RFP.
  - على المقاول/المناقص أن يحدد مدة التوريد والتركيب والتشغيل للأجهزة الموردة.
  - سيراعي عند التقييم للعروض مدة التوريد والتركيب والتشغيل المحددة من قبل المقاول/المناقص.

### h. Offer Expiry Date

The validity of the Proposal shall be no less than (90) days unless clearly mentioned differently.

The prices must remain fixed and valid for (90) days from the date of the invitation for bid closing date and shall be clearly stated in the technical and commercial bids.

### 6. Financial Compliance Sheet

| # | Description  | Comply<br>(Yes/No) | Reference<br>in the<br>proposal |
|---|--|--------------------|---------------------------------|
| 1 | The bidder shall comply with all points included in the general conditions section       |                    | 391                             |
| 2 | The bidder shall comply with all points included in the bidder qualifications section    |                    | 8,10                            |
| 3 | The bidder shall comply with all points included in the RFP guideline section            | FOI                |                                 |
| 4 | The bidder shall comply with all points included in the RFP terms and conditions section | )                  |                                 |

# 7. Objectives

EHS invites technically qualified and commercially competitive bids from reputable vendors for the supply, installation, configuration, testing, and implementation of SSD drives for Dell ME5024 storage systems, as detailed in Annex 1

# 8. Submittals

The bidders' proposal shall include the following submittals. Each of the submittals must be on a separate section and must follow the below sequence:

- 1. Company Profile and References for similar projects
- 2. Project team details including engineer's certifications on the proposed solution
- 3. Compliance sheets (technical and financial).
- 4. Detailed BOQ (Item, Quantity, support duration)
- 5. Lifecycle for the proposed equipment (End of sale, end of support, end of life)
- 6. Installation method statement. (Installation approach)
- 7. Project Implementation plan.
- 8. Service level agreement (SLA) based on EHS SLA Parameters

### 9. Bidder Qualifications

Review

- Bidder must be a Company registered under the Jordanian Ministry of Industry and Trade for more than three years or represented by a company abiding to the aforementioned condition; otherwise, any international or regional bidder must present the formal documents which prove the financial capacity of the company in addition to its commercial registration documents at the country of origin
- 2. The bidder must submit up-to-date official documents of registration issued from the Companies Control Department.
- 3. The bidder must be an authorized Top Level Partner of the mother company he represents in this bid. An up to date valid official letter/certificate from the mother company must be submitted by the bidder as part of the bidder's qualification documents.
- 4. The bidder must have at least (2) two engineers certified by the mother company for the implementation and technical support of the proposed solution.
- 5. The bidder must include their Project Management Methodology and their Project Management team's CV's.
- 6. The bidder must provide end of sale / end of life information about the proposed solution(s) as provided by the manufacturer. Such information shall be submitted as part of the official submittals and will be part of the evaluation criteria.

### 10. <u>Solution Technical Specifications</u>

- 1. 21 sites with 1.92TB SSD's SAS disks as mentioned in Annex1, (64 disks)
  - Each site configuration: Three disks RAID 5.
  - One disk as spare part for EHS spare stock.
  - ▶ Disk Type and Size: SAS Read Intensive up to 24Gbps 512e 2.5in Hot-Plug 1WPD, AG Drive - for Dell ME5024.
- 2. 4 Sites with 3.84TB SSD SAS disks as mentioned in Annex1 (17 disk)
  - Each site configuration: Four disks RAID 5.
  - One disk as spare part for EHS spare stock.
  - Disk Type and Size: 3.84TB SSD SAS Read Intensive up to 24Gbps 512e 2.5in Hot-Plug 1WPD, AG Drive - for Dell ME5024

### 11. Scope of Work

The scope of this RFP includes the installation of disks on each storage system in accordance with relevant standards and industry best practices. The scope of work shall include the following:

The proposal must include the delivery and installation of all items at the designated sites in alignment with EHS requirements:

- 1. Onsite installation, configuration, and integration of all requested SSD drives into the designated Dell ME5024 storage systems at each Hakeem site, in accordance with EHS requirements and Dell's best practices.
- 2. Perform any preparatory site visits and any related activities to insure the best deployment.

### 12. <u>Technical Terms and Conditions</u>

- 1. The bidder shall have at least two certified engineers according to the manufacturer's recommendations on the proposed solution.
- 2. The bidder shall classify as a top tier partner; the bidder shall provide the required manufacturer's certificates or letters for his qualifications.
- 3. All HW components should be new, Original from the Vendor (all components should have original part number from the vendor), and vendor factory integrated.

### 13. Warranty and Support

All disks must have a warranty aligned with the storage system where they are installed, based on the service tag of each storage system specified in Annex 1

# 14. Annex (1) Hakeem Sites SSD

| #  | Owner | Site<br>Code | Site Name  | Storage Model             | SSDs Storage Requirements  | SSDs Storage<br>QTY | Storage Asset Tag            |
|----|-------|--------------|--|---------------------------|--|---------------------|------------------------------|
| 1  | мон   | РНН          | PRINCE<br>HAMZAH<br>HOSPITAL                         | Dell PowerVault<br>ME5024 | 3.84TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in Hot-Plug 1WPD, AG Drive - for<br>Dell ME5024. | 4                   | <b>DCT9YY3</b>               |
| 2  | мон   | PHUH         | PRINCE<br>HUSSAIN<br>HOSPITAL                        | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 9СТ9ҮҮЗ                      |
| 3  | мон   | PBRH         | PRINCESS<br>RAHMEH<br>HOSPITAL                       | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 22WWLQ3                      |
| 4  | мон   | MFGH         | Mafraq<br>Gymecology<br>Hospital                     | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 6СТ9ҮҮЗ                      |
| 5  | мон   | MFH          | MAFRAQ<br>GOVERNMENT<br>HOSPITAL                     | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | вст9үүз                      |
| 6  | мон   | NGH          | AlNadeem<br>Hospital                                 | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 5СТ9ҮҮЗ"                     |
| 7  | мон   | ZNH          | ZARQA NEW<br>HOSPITAL                                | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 42wwlq3                      |
| 8  | мон   | BASH         | Basheer<br>Hospital                                  | Dell PowerVault<br>ME5024 | 3.84TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in Hot-Plug 1WPD, AG Drive - for<br>Dell ME5024. | 4                   | 62WWLQ3/Expansion<br>H1TY4V3 |
| 9  | мон   | AIGH         | Al Iman<br>Hospital                                  | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 52WWLQ3                      |
| 10 | мон   | NBH          | NORTH<br>BADIYAH<br>HOSPITAL                         | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 4СТ9ҮҮ3                      |
| 11 | мон   | РЕМН         | Princess Iman<br>Hospital<br>Maadi                   | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | CVQVYY3                      |
| 12 | мон   | АВОН         | Abu Obaidah<br>Hospital                              | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | ССТ9ҮҮЗ                      |
| 13 | МОН   | GSH          | Ghor Al-Safi<br>Hospital                             | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | FMYCKZ3                      |
| 14 | мон   | МВЈН         | Muath Bin<br>Jabal Hospital                          | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 7СТ9ҮҮЗ                      |
| 15 | мон   | RWSH         | AL-Rwaished<br>Hospital                              | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 3СТ9ҮҮЗ                      |
| 16 | RMS   | РНМН         | Prince<br>Hashem Ben<br>Abdullah II                  | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | J0LY052                      |
| 17 | RMS   | PRMH         | Prince Rashed<br>Bin Al Hasan<br>Hospital            | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 12WWLQ3                      |
| 18 | RMS   | LTMH         | Latroon<br>Military<br>Hospital                      | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | 8СТ9ҮҮЗ                      |
| 19 | RMS   | PZMH         | Prince Zaid<br>Bin Alhussein<br>Military<br>Hospital | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3                   | FT3F434                      |
| 20 | мон   | PBSH-<br>Edu | Princess<br>Basma<br>Hospital                        | Dell PowerVault<br>ME5024 | 3.84TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in Hot-Plug 1WPD, AG Drive - for<br>Dell ME5024. | 4                   | DVQVYY3                      |

| 21 | мон | JGH | Jarash Gov<br>Hospital       | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3 | BK6MR74         |
|----|-----|-----|------------------------------|---------------------------|--|---|-----------------|
| 22 | EHS | EHS | EHS<br>Warehouse             | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3 | СТЗF434         |
| 23 | EHS | EHS | EHS<br>Warehouse             | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3 | <b>GMYCKZ3</b>  |
| 24 | EHS | EHS | EHS<br>Warehouse             | Dell PowerVault<br>ME5024 | 1.92TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in<br>Hot-Plug 1WPD, AG Drive - for Dell ME5024. | 3 | <b>НМҮСК</b> Z3 |
| 25 | RMS | EHS | EHS<br>Warehouse<br>For KHMC | Dell PowerVault<br>ME5024 | 3.84TB SSD SAS Read Intensive up to 24Gbps<br>512e 2.5in Hot-Plug 1WPD, AG Drive - for<br>Dell ME5024. | 4 | DT3F434         |

|        | Total   | # of disks for sites | # of disks for<br>Spare | Number of Sites |
|--------|---|----------------------|-------------------------|-----------------|
|        | 3.84TB SSD SAS<br>Read Intensive up<br>to 24Gbps 512e<br>2.5in Hot-Plug<br>1WPD, AG Drive -<br>for Dell ME5024. | 16                   | 1                       | 4               |
|        | 1.92TB SSD SAS Read Intensive up to 24Gbps 512e 2.5in Hot-Plug 1WPD, AG Drive - for Dell ME5024.                | 63                   | 1                       | 21              |
|        | A 00  |                      |                         |                 |
| Revise |   |                      |                         |                 |



Page 18 of 18